



WFSST[®]
五 丰 钢 业

五丰，为您提供一站式不锈钢焊管服务
Wufeng provides you with one-stop stainless
steel welded pipe service

浙江五丰钢业有限公司
ZHEJIANG WUFENG STEEL CO.,LTD

手机：13957772283
电话：0577-86857771
邮编：325025
邮箱：wfst.zfs@163.com 网址：www.chwfsst.com
地址：温州经济技术开发区滨海三道4888号

Mob:13957772283
Tel:0577-86857771
P.C:325025
E-mail:wfst.zfs@163.com Web:www.chwfsst.com
Add:No.4888,Binhai 3rd Road,Wenzhou Economic
and Technological Development Zone



扫码加微信

WU · FENG STEEL

不锈钢焊管专业制造商

www.CHWFSST.COM

- 特色TP316L 工业焊管
- 流体输送用不锈钢焊管
- 机械结构用不锈钢焊管
- 热交换器和冷凝管用焊管
- 食品卫生级用焊管
- 涉及饮用水焊管

WFSST[®]
五 丰 钢 业



www.chwfsst.com

COMPANY PROFILE

企业简介

浙江五丰钢业有限公司(原温州五丰钢业有限公司)地处中国东海之滨——美丽富饶的温州，东临温州机场，北靠温州龙湾万吨码头、温州火车站，交通便捷。您的需求是我们追求的目标，您的微笑是我们前进的动力。我们以优质的产品质量，完善的售后服务赢得广大客户的支持和信赖，五丰愿成为您永恒的选择。

公司自创建以来，规模不断扩大，主要生产自动焊接管、不锈钢内整平有缝管、无缝管、异形钢管、圆钢、荒管及卫生级管件等，产品畅销国内20多个省市及地区，受到广大客户好评。

本公司生产设备及检测设备先进齐全，拥有2500吨7M 长液压成型卷管机、1500吨10M 长液压成型卷管机、300吨液压成型机、进口自动焊机、大型拼板自动焊机、边梁式焊机、自动等离子器、剪板机、冷拨机等。

公司严格执行GB/T 12771-2019标准，产品按美国AISI、ASTM和日本JIS标准要求生产。在“用户至上、质量第一”的企业理念引导下，建立了完善的质量管理体系认证并有效运行，为此本公司不断加强科学管理，狠抓产品质量，提高员工专业素质，为石油、化工、水利、电厂、制药、污水处理、造纸厂、建筑等行业提供了质优价廉的产品，并将再接再厉，为国家的繁荣昌盛尽一份绵薄之力。

30+ 年

专注不锈钢焊管行业30余年
Focused on the stainless steel welded pipe industry for over 30 years

15000+ m

年产不锈钢焊管15000余吨
Annual production of over 15000 tons of stainless steel welded pipes

经营理念

诚信经营，精益求精
Integrity management,
striving for excellence

企业使命

追求卓越，铸就辉煌
Pursuing excellence,
forging brilliance

企业愿景

成为优质的不锈钢焊管供应商
Become a high-quality supplier of
stainless steel welded pipes

核心价值观

与时俱进，开拓进取，敢为人先
Keeping up with the times, forging
ahead, daring to be the first

企业精神

团结合作，共同发展
Unity and cooperation,
common development

质量口号

质量第一，顾客至上
Quality first,
customer foremost

6
企业文化
CORPORATE
CULTURE

QUALIFICATION CERTIFICATE

资质证书

TS

TS 证书编号
TS2733P19-2027



ISO 证书编号
20224Q21000ROS



浙江省科技型中小企业编号
20223303002149



合作研究院/计量所

- 北京市计量测试研究院
- 浙江省质量科学研究院
- 宁波市计量测试研究院(新材料研究所)
- 温州市计量科学研究院
- 台州市计量科学研究院
- 广州市能源监督检测研究院
- 佛山市计量质量监督检测中心
- 深圳市计量监督检测所
- 江门市计量测试所
- 珠海市产品监督检测所
- 天津市计量科学研究院
- 河北省计量测试研究院
- 萍乡市计量测试所
- 龙岩市计量测试所
- 厦门计量检测研究院

荣誉证书 Certificate Of Honor




信用等级认证证书 Credit Rating Certification Certificate



CONTINUOUS WELDED PIPE

连续成型焊管

连续成型焊管生产工艺流程图
Process Flow Chart for Continuous Forming Welded Pipe Production



连续成型焊管生产车间
Continuous formed welded pipe
production workshop

10 e

引进先进连续成型生产线10条
Introduce 10 advanced continuous
molding production lines

10000+


年产各类连续成型焊管10000余吨
Annual production of 10000 tons of
various continuous formed welded pipes



SINGLE FORMED WELDED PIPE

单只成型焊管

单只成型焊管生产工艺流程图
Production process flow chart of single formed welded pipe



单只成型焊管生产车间
Continuous formed welded pipe
production workshop

20+
引进先进单只成型设备20余台
Introduction of over 20 advanced
single molding equipment

5000+
年产各类单只成型焊管5000余吨
Annual production of over 5000 tons of
various single formed welded pipes



PRODUCT DISPLAY

产品展示

流体输送用不锈钢焊管

SS Welded Tubes & Pipes for Industrial
Fluid Conveying

- **规格/Specifications:**
连续成型焊管: $(13 \sim 1016) \times (1.24 \sim 16) \times (3000 \sim 12000)$ mm
单支成型焊管: $(273.05 \times 3000) \times (3 \sim 60) \times (1500 \sim 12000)$ mm
- **执行标准/Executive standard:**
ASTM/ASME: A312, A358, A269, A790, A928,
ASTM: B161, B163, B167, ASME SA-358
API 5L, EN10217, JISG3459, JISG3468,
GB/T12771, GB/T21832.2, HG20537, SY/T6601等
- **材质/Material:**
304/L, 316/L, 321, 317L, 310S, 347
904L(N08904), S31254, S31042, N08367(6MO)
S31803, S32205(1.4462),
S32750(1.4410), S32760(1.4501)
N06600, N06625, N08811, N08825,
N10276, N10624等



机械结构用不锈钢焊管 (圆管、方管、矩形管)

SS Welded Tubes & Pipes for Mechanical Use
(Round pipes, square pipes, rectangle pipes)

- **规格/Specifications:**
圆管: $(12 \sim 406.4) \times (1 \sim 8) \times (3000 \sim 12000)$ mm
方管: $(15 \times 15 \sim 500 \times 500) \times (1 \sim 16) \times (3000 \sim 12000)$ mm
矩形管: $(15 \times 20 \sim 400 \times 600) \times (1 \sim 16) \times (3000 \sim 12000)$ mm
- **材质/Material:**
TP304/L, 316/L, 321, 317L, 310S,
S31803, S32205, S32750, 904L
409, 401, 430, 444等
- **执行标准/Executive standard:**
ASTMA554, JISG3446, GB/T12770,
GB/T6728, GB/T6778, JG-T3030,
YB/T5363等



热交换器和冷凝管用焊管

SS Welded Tubes & Pipes for
Boiler Heat Exchanger and Condenser

- **规格/Specifications:**
 $(12.7 \sim 104) \times (0.5 \sim 3) \times (2500 \sim 16000)$ mm
- **材质/Material:**
304/L, 316/L, 321, 317L,
S31803, S32205(1.4462) 等
- **执行标准/Executive standard:**
ASMESA249, ASTM A789, ASME SA789,
EN10217, JISG3463, GB/T24593,
GB/T21832.1, GB/T151等



食品卫生级用焊管

SS Welded Food
Sanitary Tube

- **规格/Specifications:**
 $(19 \sim 325) \times (1.2 \sim 5) \times (2500 \sim 6000)$ mm
- **材质/Material:**
304/L, 316/L, 317L等
- **执行标准/Executive standard:**
ASTMA270, DIN11850, EN10217等



涉及饮用水焊管

SS Welded Tubes & Pipes for
Water Supply

- **规格/Specifications:**
 $(16 \sim 325) \times (1 \sim 5) \times (2500 \sim 6000)$ mm
- **材质/Material:**
304/L, 316/L, 317L等
- **执行标准/Executive standard:**
EN10312, JISG3448, GB/T19228.2,
CJ/T151, GB/T12771等



INVENTORY DISPLAY

库存展示

TP316L

特色TP316L工业焊管大量库存
Specia TP316L industrial welded
pipe with large inventory

3000 O

常年备有现货库存3000吨以上
Always have a stock of over 3000
tons in stock throughout the year

3000 W

仓库占地面积3000平米
The warehouse covers an area
of 3000 square meters

原材料库存

Raw Material Inventory



成品库存

Finished product
inventory

为了更高效便捷的服务客户，公司建立了智能化库存管理系统。通过整合物联网、大数据分析与人工智能算法，实现了供应链全流程的数字化升级。该系统可实时追踪各仓库的库存动态，使库存周转效率提升40%以上。借助智能识别技术，出入库操作准确率高达99.8%，同时通过区块链技术构建了防窜货溯源体系。智能库存在降低公司仓储成本的同时，也为客户带来了更及时高效的出货速度。



食品卫生级用管

机械结构和装饰用管(圆管)

Food hygiene grade pipes

Pipe for mechanical structure and decoration(round pipe)

产品标准：DIN 11850、ASTM A270、EN 10312、JIS G3447、ISO 2037
产品标准：GB/T 12770、JG-T 3030、YB/T5363、ASTM A554、JIS G3446

壁厚 外径 (mm)	1.0	1.2	1.25	1.5	1.65	2.0	2.11	2.5	2.77	3.0	3.5	4.0	4.5	5.0	5.5	6.0	8.0	10.0
	材质304每米重量(kg/m)																	
Φ 12.70	0.29	0.34	0.36															
Φ 15.88	0.37	0.44	0.46	0.54														
Φ 19.10	0.45	0.54	0.56	0.66	0.72													
Φ 25.40	0.61	0.72	075	0.89	1.24	1.17	1.22											
Φ 31.81	0.77	0.91	0.95	1.13	1.25	1.49	1.56	1.83	2.00									
Φ 33.40		0.96	1.00	1.19	1.30	1.56	1.64	1.92	2.11	2.27	2.61							
中38.10		1.10	1.15	1.37	1.50	1.80	1.89	2.22	2.44	2.62	3.02							
Φ 42.00		1.22	1.27	1.51	1.66	1.99	2.10	2.46	2.71	2.91	3.36							
中42.16		1.22	1.27	1.52	1.67	2.00	2.11	2.47	2.72	2.93	3.37							
中45.00		1.31	1.36	1.63	1.78	2.14	2.25	2.65	2.91	3.14	3.62							
Φ 48.30		1.41	1.47	1.75	1.92	2.31	2.43	2.85	3.14	3.39	3.91							
Φ 50.80		1.48	1.54	1.84	2.02	2.43	2.56	3.01	3.31	3.57	4.12							
Φ 60.30		1.77	1.84	2.20	2.41	2.90	3.06	3.60	3.97	4.28	4.95	5.61						
Φ 63.50			1.94	2.32	2.54	3.06	3.23	3.80	4.19	4.52	5.23	5.93						
Φ 76.20				2.79	3.06	3.70	3.89	4.59	5.07	5.47	6.34	7.19						
中88.90				3.27	3.59	4.33	4.56	5.38	5.94	6.42	7.45	8.46	9.46	10.45	11.43			
Φ 101.60				3.74	4.11	4.96	5.23	6.17	6.82	7.37	8.55	9.72	10.88	12.03	13.17			
0108.00				3.98	4.37	5.28	5.57	6.57	7.26	7.85	9.11	10.36	11.60	12.83	14.04			
Φ 114.30						5.59	5.90	6.96	7.70	8.32	9.66	10.99	12.31	13.61	14.91	16.19		
Φ 127.00						6.23	6.56	7.75	8.57	9.27	10.77	12.26	13.73	15.20	16.65	18.08		
Φ 133.00						6.53	6.88	8.13	8.99	71	11.29	12.85	14.40	15.94	17.47	18.98		
Φ 141.30						6.94	7.32	8.64	9.56	10.34	12.01	13.68	15.33	16.98	18.61	20.22		
Φ 152.40						7.49	7.90	9.34	10.32	11.16	12.98	14.79	16.58	18.36	20.13	21.88		
Φ 159.00						7.82	8.25	9.75	10.78	11.66	13.56	15.44	17.32	19.18	21.03	22.87		
Φ 168.30						8.29	8.73	10.33	11.42	12.35	14.37	16.37	18.36	20.34	22.30	24.26	31.94	
Φ 219.08						10.81	11.40	13.49	14.93	16.15	18.80	21.43	24.05	26.66	29.26	31.85	42.06	52.08
Φ 273.05										20.18	23.50	26.81	30.10	33.39	36.66	39.91	52.82	65.53
Φ 323.90										23.98	27.93	31.87	35.80	39.72	43.62	47.51	62.95	78.19
Φ 355.60										26.35	30.70	35.03	39.36	43.67	47.97	52.25	69.27	86.09
Φ 406.40										30.15	35.13	40.10	45.05	49.99	54.93	59.84	79.39	98.74
Φ 426.00										31.61	36.84	42.05	47.25	52.44	57.61	62.77	83.30	03.63
Φ 457.20										33.94	39.56	45.16	50.75	56.32	61.89	67.44	89.52	11.40
Φ 508.00										37.74	43.98	50.22	56.44	62.65	68.85	75.03	99.64	124.50
Φ 558.00										41.48	48.34	55.20	62.04	68.88	75.70	82.50	09.60	36.5
Φ 609.60										45.33	52.84	60.34	67.83	75.30	82.76	90.21	119.89	149.36
Φ 711.00										52.91	61.68	70.45	79.20	87.93	96.66	105.37	40.09	174.62

机械结构和装饰

用管(方管/矩形管)

Pipes for mechanical structure and decoration (square/rectangular pipes)

产品标准：GB/T 12770、GB/T6728、YB/T5363、JG-T 3030、ASTM A554、JIS G3446

壁厚 规格 (mm)	1.2	1.5	2.0	2.5	3.0	4.0	5.0	6.0	8.0	10.0
	材质304每米重量(kg/m)									
15*15	0.54	0.66	0.85							
20*20	0.73	0.90	1.17							
25*25	0.92	1.13	1.49	1.83	2.15					
30*30		1.37	1.80	2.22	2.63					
32*32		1.47	1.93	2.38	2.82					
35*35		1.61	2.12	2.62	3.11					
38*38		1.75	2.31	2.86	3.39					
40*40		1.85	2.44	3.02	3.58	4.68				
50*50		2.32	3.07	3.81	4.53	5.94	7.31			
60*60		2.80	3.71	4.60	5.48	7.21	8.89	10.52		
70*70			4.34	5.39	6.44	8.48	10.48	12.42		
80*80			4.97	6.19	7.39	9.75	12.06	14.33		
90*90			5.61	6.98	8.34	11.02	13.65	16.23		
100*100			6.24	7.77	9.29	12.29	15.24	18.13	23.78	
120*120			7.51	9.36	11.19	14.83	18.41	21.94	28.85	35.57
150*150			9.42	11.74	14.05	18.63	23.16	27.65	36.47	45.08
200*200				15.70	18.81	24.97	31.09	37.16	49.15	60.94
250*250						31.32	39.02	46.68	61.84	76.80
100*300					18.81	24.97	31.09	37.16	49.15	60.94
150*300						28.15	35.06	41.92	55.50	68.87
200*300						31.32	39.02	46.68	61.84	76.80
20*40	1.11	1.37	1.80	2.22	2.63					
25*50	1.39	1.73	2.28	2.82	3.34					
30*60	1.68	2.08	2.75	3.41	4.06	5.31				
30*50	1.49	1.85	2.44	3.02	3.58	4.68				
40*60	1.87	2.32	3.07	3.81	4.53	5.94	7.31			
40*80	2.25	2.80	3.71	4.60	5.48	7.21	8.89	10.52		
45*75		2.80	3.71	4.60	5.48	7.21	8.89	10.52		
50*100		3.51	4.66	5.79	6.91	9.12	11.27	13.38		
60*80		3.27	4.34	5.39	6.44	8.48	10.48	12.42		
60*100			4.97	6.19	7.39	9.75	12.06	14.33		
60*120			5.61	6.98	8.34	11.02	13.65	16.23		
100*150			7.83	9.76	11.67	15.46	19.20	22.89	30.12	
100*120			6.88	8.57	10.24	13.56	16.82	20.04	26.32	
100*200			9.42	11.74	14.05	18.63	23.16	27.65	36.47	
150*200				13.72	16.43	21.80	27.13	32.41	42.81	53.01

MARKETING NETWORK

营销网络



20+ a

出口全世界20余个国家
Exported to over 20 countries
worldwide

5000+ 吨

年出口不锈钢焊管5000余吨
Annual export of over 5000 tons of
stainless steel welded pipes

400+ 家

服务国内外客户400余家
Serving over 400 domestic and
international customers

公司一直致力于不锈钢产业的建设，竭诚为客户区域性及全国性供应链管理提供优质服务。目前在全国地区共拥有北京、天津、湖北、辽宁、云南、广东、江苏、吉林、黑龙江等几十家分公司及办事处，基本上形成了全国销售运营网络平台，随时可以通过自身强大的网络资源，将客户所需要的服务延伸至全国的每一个地方。此外，公司积极开拓海外市场，产品远销美国、加拿大、南美、欧洲、日韩和中东等国家和地区，产品质量及服务受到国内外客户的一致好评。

The company has always been committed to the construction of the stainless steel industry and s dedicated to providing high-quality services for customers in regional and national supply chain management.At present,there are dozens of branches and offices in Beijing,Tianjin,Hubei, Liaoning,Yunnan,Guangdong,Jiangsu,Jilin,Heilongjiang,and other regions across the country, basically forming a national sales and operation network platform.With its powerful network resources,customers can extend their services to every part of the country at any time.In addition, the company actively explores overseas markets,and its products are exported to countries and regions such as the United States,Canada,South America,Europe,Japan,South Korea,and the Middle East.The product quality and service have received unanimous praise from domestic and foreign customers.

APPLICATION AREA

应用领域



石油、化工、天然气
Petroleum,Chemical,Natural Gas



电力(水电、火电、核电)
Electricity(Hydropower,
Thermal Power,Nuclear Power)



污水处理、造纸
Wastewater Treatment,
Papermaking



海水淡化
Seawater Desalination



食品、饮料、医药
Food,Beverage,Medicine



市政工程
Municipal Engineering